

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	647	726/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:37
S1	0	"10621952"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 09:19
S2	2	"20050015601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 17:49
S3	12	session near2 (identif\$5 identification) same (de-allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:44
S4	56	independent with (de-allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 09:48
S5	1675	session near2 (identif\$5 identification) same (sav\$3 stor\$3) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:23
S6	858	session near2 (identif\$5 identification) with (sav\$3 stor\$3) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:23
S7	3	session near2 (identif\$5 identification) with (sav\$3 stor\$3) with retain\$3 and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:25
S8	10	session near2 (identif\$5 identification) with (sav\$3 stor\$3) same retain\$3 and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:33

## EAST Search History

S9	78	retain\$3 with (de-allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:27
S10	0	session near2 (identif\$5 identification) same( "not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras\$3)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:25
S11	0	(identif\$5 identification) same( "not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras\$3)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:23
S12	0	( "not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras\$3)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:23
S13	0	( "not" near2 (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:24
S14	3	( "not" with (de-allocat\$5 deallocat\$5 (de adj allocat\$5) delet\$3 eras\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:24
S15	371	session near2 (identif\$5 identification) same cookie and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:25
S16	306	session near2 (identif\$5 identification) with cookie and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:49
S17	12	session near2 (identif\$5 identification) with cookie same (sav\$3 retain\$3) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:26
S18	1	S8 and cookie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:33

## EAST Search History

S19	21	session near2 (identif\$5 identification ID) same (de-allocat\$5 deallocat\$5 (de adj allocat\$5)) and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:46
S20	17	session near2 (identif\$5 identification ID) with cookie and @ad<"20030717" and (cookie or session near2 (identif\$5 identification ID) ) with retain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:22
S21	90	session near2 (identif\$5 identification ID) with cookie same authentikat\$5 and @ad<"20030717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:26
S22	162	"5875296"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:08
S23	1309	(remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id) ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:18
S24	9	(remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id) ) ) with inactivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:22
S25	11	(remov\$3 eras\$3 delet\$3) with (cookie or (session adj (identifier identification id) ) ) with inactiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:22
S26	3	session near2 (identif\$5 identification) with cookie and @ad<"20030717" and (lock\$3 with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:49
S27	10	(cookie or (session adj (identifier identification id) ) ) same (shar\$3 with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:19
S28	10	(cookie or (session adj (identifier identification id) ) ) same (shar\$3 with buffer) and @ad<"20030718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:37